




High Temperature Resistance Reverse Osmosis Membrane

TRRO-S Series (High Temperature Resistance Reverse Osmosis) is specially designed for the systems that use hot water sanitization to avoid chemical disinfection so that to improve product quality or meet industry regulations. The max temperature resistance is 90°C (194°F). It's suitable to be applied in water purification and separation system of low cross-flow environments, no suspended solids and the operating temperature up to 50°C(194°F). It belongs to the sanitary membrane components, and is suitable for pharmaceutical, food, cosmetics and other fields.



| | Product Models | dels GPD (m³/d) Average Rejection Rate | | Test Conditions | | | | |
|--|----------------|--|--------|-----------------|--|--|--|--|
| | TRRO-S 01 | 2450 (9.3) | 99.50% | 1 | | | | |
| | TRRO-S 02 | 2850 (10.8) | 99.00% | 2 | | | | |
| | TRRO-S 10 | 10000 (37.9) | 99.50% | 1 | | | | |
| | TRRO-S 20 | 11800 (44.7) | 99.00% | 2 | | | | |
| | TRRO-S 01-AD | 2600 (9.8) | 99.50% | 1 | | | | |
| | TRRO-S 02-AD | 3000 (11.4) | 99.00% | 2 | | | | |
| | TRRO-S 10-AD | 10500 (39.7) | 99.50% | 1 | | | | |
| | TRRO-S 20-AD | 12500 (47.3) | 99.00% | 2 | | | | |
| Notes: The average desalination rate is tested after 24 hours operation. | | | | | | | | |

Test Condition 1: 2000ppm NaCl solution, 225 psi operating pressure, 25°C temperature, pH=7, 15% recovery rate.

Flow fluctuation range of single membrane could be ±25%.

Test Condition 2: 500ppm NaCl solution, 115 psi operating pressure, 25°C temperature, pH=7.5, 15% recovery rate.

Typical Operating Max Operating **Product Models**


Parameters of Membrane Operating and Cleaning

| . roddol modolo | Pressure | Pressure | Single Membrane | rissersi y riais | Temperature |
|-----------------------------|----------------------------------|-----------------------------------|-------------------------|---|-------------------|
| TRRO-S Series | 600psi | 225psi/115psi | <12psi | 15% | 50°C |
| Max Cleaning Temperature | The Max Heat Dissipation Temp | PH Range of Continuous Working | PH Range of Cleaning | Allowable Max Contents of Residual Chlorine | Inlet Water |
| 50°C | 90°C | 4.0-11.0 | 2.0-11.5 | 500ppm-h | NTU <1 SDI < 5 |
| | | | | | |

Pressure Drop of

Anti-expansion Device

Membrane Schematics



С

Diameter Inch(cm) Specifications

Α

Joint

Specifications and Parameters

Package Weight

(kg)

Recovery Rate

Anti-expansion Device

Max Operating



| 2540 | Male Joint | 40.00 (101.6) | 0.75 (1.9) | 2.4 (6.1) | 3 | | |
|----------------|------------|------------------|-----------------|---------------|----|--|--|
| 4040 | Male Joint | 40.00 (101.6) | 0.75 (1.9) | 3.9 (9.9) | 4 | | |
| 8040 | Flat Joint | 40.00 (101.6) | 1.125 (2.85) | 7.9 (20.1) | 16 | | |
| Special Notes: | | | | | | | |

В

Storage Conditions

Before the first use, all membrane elements must be stored under the original packaging conditions.

may cause membrane degradation and deterioration of the protection solution.

- The membrane is best placed in the original packaging and opened before the using of water treatment system.
- Store in a cool, dry condition and the place where is not directly exposed to sunlight or artificial lighting. Storage temperature stays at 0°C to 30°C, and the longest storage time is 6 months.

The transport temperature below 0°C may cause irreversible membrane damage, and the transport temperature above 30°C

General Information

The limited warranty we promised will expire due to the fact that the user does not strictly follow the operational restrictions and



guidelines set forth in this Code.

• If the system is in a shut down state for a long time, the membrane element is advised to be placed in the protective solution to prevent the growth of microorganisms.

Once wetted, the membrane element must always be wet.

- It is the user's responsibility if use an incompatible chemical and lubricant, and cause undue influence on the original. • The maximum allowable pressure drop of single pressure vessel is 60 psi (4.1bar).
- At no time can the backpressure be produced on the side of producing water to avoid the occurrence of harmful problems.
- - INSTALLATION METHOD OF MEMBRANES

Opening Membrane Packages Open the membrane package, and take out membrane elements and parts. Parts are individually packaged in small plastic bags.

2. Prepare the necessary parts according to the following list. **Required Quantities Component Part Names**

O-ring Open-type Product Water Adapter

Seal Ring of Concentrated Water

One Piece for Every Pressure Vessel Close-type Product Water Adapter Product Water Connecting Pipe Numbers of Membrane Elements- Numbers of Pressure Vessels

One Piece for Every Membrane

Four Pieces for Every Membranes

One Piece for Every Pressure Vessel






Figure 1 Figure 2






when necessary.

Figure 4

Figure 5

Concentrated Water

Direction



the top of the membrane packing bag to the element.


Safety instructions before opening the package:

top of the foam cover. 1111111 Figure 3 Explanation: the packing bag is made of a material that has a very high oxygen isolation effect, which can extend the storage time of the

storage solution. If the packing bag is cut only from one end, it can be stored for use when the membrane needs to be stored and transported.

over to make it standson the

foam cover.



Concentrated Water Seal

Inlet Water ▶

Direction

2. Install the membrane connectors and use lubrication Install the concentrated water seal

3. Membrane Element Filling

water seal (Figure 4).

 c. Open the inlet of the RO pressure vessel. d. Lubricate the inside of the RO pressure vessel with water and glycerin. About 10 ml of glycerol is required for each pressure vessel. If the

a. This work is best done by two people.

Note: the seal ring must not be installed on the

b. As shown in the figure, confirm the position

concentrated water side of each membrane.

and direction of the V-type concentrated

- water to ensure adequate wetting. Use a mop or similar tool to lubricate the entire pressure vessel (Figure 5).
 - e. After lubricating the seal ring of concentrated water and inner wall of the pressure vessel with glycerin, install the membrane approximately 2/3 from the inlet of the pressure vessel (Figure 6).

viscosity of glycerol is high, it can be diluted with

- Carefully and smoothly install the membrane, especially the first membrane. Figure 6
- f. Install the concentrated water seal as the first membrane. Use a membrane adapter to connect two membranes (Figure 7). Partially load membrane elements at the fixed place and push the two pressure vessels safely and forcefully to keep them in a straight line and avoid damages to the membrane adapter or the concentrated water seal.
- g. Repeat the above steps to load the membrane element into the pressure vessel one by one. When the last membrane element is installed, load the product water adapter provided by the pressure vessel manufacturer and push it into the position to ensure that the first loaded membrane has been connected tightly.

